M. Pharmacy Entrance Examination Institute of Pharmaceutical Research GLA University, Mathura (U. P.)

Max Marks: 45

Time: 60 min

Q.1 Yohimbine is the selective antagonist ford) none a) α_1 b) α₂ c) β_2 Q.2 Cheese reaction are commonly seen in a) Phenytoin b) Barbiturates d) MAOI c) Nitrares 0.3 Which of the NSAIDs is not safe during Pregnancy? a) Aspirin b) Paracetamol c) Ibuprofen d) None Q.4 Which of the following is/are suppository basesa) Cocoa butter b) Cotmar c) Wecobee R d) All of the above 0.5 Which of the following is an ulcer protective drugs a) Nitrates b) omeprazole C) Ranitidine d) Sucralfate 0.6 Which of the following drugs is an leukotriene antagonist c) Ketotiffin b) Salbutamol c) Montelukast d) None Q.7 Which of the anti cholinergic drugs used in the treatment of alzhemier a) Atropine b) Hyocine c) Tacrine d) All of them Digitalis belongs to the family-Q.8 b) Malvaceae c) Zingiberaceae d) None of these a) Solanaceae Q.9 Asafoetida belongs toc) Alkaloids d) All of these a) Resin b) Carbohydrates 0.10Botanical name of Vach is a) Panax ginseng b) Rheum emodi c) Acorus calamus d) Asparagus racemosus 0.11 One nanometer is equal to – b)10⁻⁴ cm a)10⁹ cm c)10⁻⁷ cm d)10⁻⁸ cm Which of the anticholinergic drug is more potent than Atropine? Q.12

	a) Dicyclomine	b) Tropicamide	c) Propantheleine	d) Hyoscine		
Q.13	Which of the antihypertensive drugs is used topically to treat alopecia?					
	a) Hydralazine	b) Prazocin	c) Minoxidil	d) None		
Q.14	Primary site of action of Thiazide diuretics is					
	a) Proximal tubule b) Ascending loop of Henle c) Cortical diluting segment d) Collecting					
	duct					
Q.15	Particle size from a	ir suspension-				
	a) 1-5000 μm b) 5-5000 μm c) 35-5000 μm d) 600 μm					
Q.16	Polyphenols are-	1) 1 '1') G 1	1) T		
Q.17	a) Umbelliferae b) Liliaceae c) Solanaceae d) Tannin Removal of small amounts of water from solid by application of heat, is known as-					
	a) Evaporation,	b) Drying,	c)Distillation,	d) Charring		
Q.18	Vasaka is a:					
	a) Indole alkaloid	b) Quinazoline alka	aloid c) Purine alkaloid	d) None of these		
Q.19	Alkaloidal drugs give positive respond to:					
	a) Hager's test	b) Wagner's test	c) Mayer'test	d) All of these		
Q.20	Vinblastine and Vincristine are the chemical constituents of:					
	a) Ephedra	b) Ginseng	c) Vinca	d) Rhubarb		
Q.21	Factors affecting diffusion current in Polarography can be denoted by-					
	a) Nernst equation b)Lamberts law c) Ilkovic equation d) Mark-Houwink equation					
Q.22	Which of the following hetero nucleus present in Phentolamine?					
	a) Pyridine b) Piperidine c)Pyrazine d) Imidazoline					
Q.23	The UV-visible region in the electromagnetic spectrum of radiation is-					
	a) 200-400 nm b) 300-660 nm c) 400-800 nm d)200-800 nm					
Q.24	Belladona poisoning is best treated with					
	a) Neostigmine b) Physostigmine c) Adrenaline d) Acetylcholine					
Q.25	Valporic acid is most useful in					
	a) Depression b) Epilepsy c) Hypertension d) Parkinson					

Q.26	The following drugs are an inhibitor of gastric mucosal proton pump.					
	a) Sucralfate b) Famotidine c) Carbenoxolone sodium d) Lansoprazole					
Q.28	If the angle of repose of given powder is between 30°-40°, the type of flow is-					
	a) Excellent b) G	ood c) Passable	d) Very poor			
Q.29	Ocimum sanctum is a botanical name of:					
	a) Tulsi	b) Neem	c)Kurchi	d) Senna		
Q.30	Ephedrine is the chemical constituent of:					
	a) Opium	b) Ginger	c) Ephedra	d) None of these		
Q.31	Datura belongs to:					
	a) Glycoside	b) Alkaloid	c) Volatile oil	d) Tannin		
Q.32	Diazepam is chemically classified as-					
	a) Benzodiazepine	b) Arylalkanolamine	e c) Iminostilbene d)	Benzoimidazole		
Q.33	Castor oil is used for					
	a) Constipation b) Diarrhoea c) Peptic Ulcer d) None					
Q.34	The most frequently adverse effects of Tetracycline in Children is					
	a) Teeth discolorati	on b) Curly hair	c) Gray baby syndro	me d) none		
Q.35	Which of the following is an natural source originated anti can cer drugs					
	a) Vincristine	b) Ifos famide	c) Metotrixate	d) None		
Q.37	Mottling is reffered to-					
	a) Colour b) Shape c) Flavour		d) Sweetenin	d) Sweetening agent		
Q.38	Hardness of tablet is measured by-					
	a) The Pfizer teste	r b) Erweka tester	c) Schleuniger tests	d) All of the above		
Q.39	Vitali-morin test is a chemical test of:					
	a) Belladonna	b) Datura	c) Stramonium	d) All of these		
Q.41	Baljet test is the chemical test of –					
	a) Umbelliferae	b) Cardienolides	c) Solanaceae	d) None of these		
Q.42	Selective antidote	for Morphine poisoning	g			

	a) Nalorphine b) Nalbuphine c) N	altrioxane	d) Naloxone			
Q.43	3 Domperidone act through					
	a) D1 Receptor b) D2 Receptor	c) Both	d) None			
Q.44	Dimercaprol is the selective antidote for					
	a) Mercury poisoning b) Lead	c) Both	d) none			
Q.45	Which of the following is the most effective sun-screen?					
	a) PABA b) Titanium dioxide	c) Methyl Sal	icylate d) Baby oil			